IN THE UNITED STATES PATENT AND TRADEMARK OFFICE RECENED 41 Atty Dkt. 829-593 . In re Patent Application of C# M# OHMINAMI, Nobuyuki C/A.U. 2854 Serial No. 10/003,258 Examiner: Hamdan, Wasseem Filed: December 6, 2001 Date: June 21, 2004 FECH CENTER 2800 Title: APPARATUS AND METHOD FOR ANALYZING CAPACITANCE OF INSULATOR

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is incorporated by reference and the signature below serves as the signature to the attachment in the absence signature thereon.		other
☐ Correspondence Address Indication Form Attached.		
Fees are attached as calculated below: Total effective claims after amendment 10 minus highest number previously paid for 20 (at least 20) = 0 x \$ 18.00	\$	0.00
Independent claims after amendment 5 minus highest number previously paid for 5 (at least 3) = 0 x \$ 86.00	\$	0.00
If proper multiple dependent claims now added for first time, add \$290.00 (ignore improper)	\$	0.00
Petition is hereby made to extend the current due date so as to cover the filing date of this paper and attachment(s) (\$110.00/1 month; \$420.00/2 months; \$950.00/3 months)	\$	0.00
Terminal disclaimer enclosed, add \$ 110.00	\$	0.00
 ☐ First/second submission after Final Rejection pursuant to 37 CFR 1.129(a) (\$770.00) ☐ Please enter the previously unentered , filed ☐ Submission attached 	\$	0.00
Subtotal	\$	0.00
If "small entity," then enter half (1/2) of subtotal and subtract Applicant claims "small entity" status. Statement filed herewith	-\$	0.00
Rule 56 Information Disclosure Statement Filing Fee (\$180.00)	\$	0.00
Assignment Recording Fee (\$40.00)	\$	0.00
Other:		0.00
TOTAL FEE ENCLOSED	\$	0.00
The Commissioner is hereby authorized to charge any deficiency, or credit any overnayment, in the fee(s) file	ed or	

The Commissioner is hereby authorized to charge any <u>deficiency,</u> or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.


1100 North Glebe Road, 8th Floor Arlington, Virginia 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

JAR:cai

NIXON & VANDERHYE P.C.

By Atty: Joseph A. Rhoa, Reg. No. 37,515

Signature:



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

JUN 24 2004

OHMINAMI, Nobuyuki

Atty. Ref.: 829-593; Confirmation No.

TECH CENTER 2990

Appl. No. 10/003,258

TC/A.U. 2854

Filed: December 6, 2001

Examiner: Hamdan, Wasseem

For: APPARATUS AND METHOD FOR ANALYZING CAPACITANCE OF

INSULATOR

* * * * * * * * * * *

June 21, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

AMENDMENT

Responsive to the Official Action dated March 26, 2004, please amend the above-identified application as follows: